

Durham Research Online

Deposited in DRO:

23 June 2019

Version of attached file:

Accepted Version

Peer-review status of attached file:

Peer-reviewed

Citation for published item:

Jögela, Joana and Uri, Asko and Pålsson, Lars-Olof and Enkvist, Erki (2019) 'Almost complete radiationless energy transfer from excited triplet state of a dim phosphor to a covalently linked adjacent fluorescent dye in purely organic tandem luminophores doped into PVA matrix.', *Journal of materials chemistry C.*, 7 (22). pp. 6571-6577.

Further information on publisher's website:

<https://doi.org/10.1039/C8TC05325A>

Publisher's copyright statement:

Additional information:

Use policy

The full-text may be used and/or reproduced, and given to third parties in any format or medium, without prior permission or charge, for personal research or study, educational, or not-for-profit purposes provided that:

- a full bibliographic reference is made to the original source
- a [link](#) is made to the metadata record in DRO
- the full-text is not changed in any way

The full-text must not be sold in any format or medium without the formal permission of the copyright holders.

Please consult the [full DRO policy](#) for further details.

Supporting Information

Complete radiationless energy transfer from excited triplet state of a dim phosphor to a covalently linked adjacent fluorescent dye in purely organic tandem luminophores

Joana Jõgela,¹ Asko Uri,¹ Lars-Olof Pålsson,² and Erki Enkvist^{1*}

¹Institute of Chemistry, University of Tartu, 14A Ravila St., 50411 Tartu

²Department of Chemistry, University of Durham, Durham, UK DH1 3LE, United Kingdom

*E-mail: Erki.Enkvist@ut.ee




Figure SII. Excitation and emission spectra of phosphorescence of carboxylic acid analogues of **1-4**. 6-10 nmol of **1-4** in 0.7 mg of PVA *per well* were used.




Figure S12. Phosphorescence decays of **1-3** (A) and **4** (B) in PVA.




Figure S13. Luminescence decays of donor-acceptor compounds in PVA.




Figure S14. Temperature dependence of luminescence decays of compounds in PVA.

















Figure SI5. A) Normalized UV-spectra of **1** – **4**. B) Normalized phosphorescence excitation spectra of **1** – **4**. Minor differences between absorption and excitation spectra are probably mainly caused by slit width used in the measurements of excitation spectra.





SI Table 1. Table of full structures



Compound codes	Structure	Reference or HRMS
1 (ARC-2007)	<p> Molecular Formula = $C_{48}H_{83}N_{21}O_8S$ Monoisotopic Mass = 1113.645419 Da </p>  <p>ARC 2007 1</p>	1113.6447
2 (ARC-1129)	 <p> $C_{69}H_{125}N_{35}O_{11}S$ Exact Mass: 1652.00185 Mol. Wt.: 1653.02610 </p> <p>ARC-1129</p>	[1]
3 (ARC-1121)	 <p> $C_{40}H_{66}N_{14}O_6S$ Exact Mass: 870.50105 Mol. Wt.: 871.10880 </p> <p>ARC-1121</p>	[1]
4 (ARC-1180)	 <p> Molecular Formula = $C_{45}H_{75}N_{17}O_9Se$ Monoisotopic Mass = 1077.509889 Da </p>	1077.5105

1-Alexa647 (ARC-1063)	 <p style="text-align: center;">ARC-1063</p>	[1]
1-Tamra (ARC-669)	 <p style="text-align: center;"> ARC-669 $C_{94}H_{146}N_{38}O_{15}S$ Exact Mass: 2079,15506 Mol. Wt.: 2080,47816 </p>	[1]
2-Tamra (ARC-1130)	 <p style="text-align: center;"> ARC-1130 $C_{94}H_{145}N_{37}O_{15}S$ Exact Mass: 2064,14416 Mol. Wt.: 2065,46348 </p>	[1]

3-Tamra (ARC-1122)	 <p style="text-align: center;">ARC-1122</p> <p style="text-align: center;"> $C_{65}H_{86}N_{16}O_{10}S$ Exact Mass: 1282,64335 Mol. Wt.: 1283,54618 </p>	[1]
4-PF647 (ARC-1139)	 <p style="text-align: center;">ARC-1139</p> <p style="text-align: center;"> $C_{101}H_{162}N_{38}O_{18}S_2Se$ Exact Mass: 2339,15359 Mol. Wt.: 2339,70430 </p>	[1]
1-Pip-Tamra (ARC-2024)	<p> Molecular Formula = $C_{38}H_{35}N_7O_5S$ Monoisotopic Mass = 701.242037 Da </p>  <p style="text-align: center;"> ARC-2024 1-Pip-Tamra </p>	701.2405

1-Pro-Dap(Tamra)-NH₂ (ARC-2021)	<p> Molecular Formula = C₄₂H₄₁N₉O₇S Monoisotopic Mass = 815.284965 Da </p> <p>ARC 2021 1 Pro Dap(Tamra)-NH 2</p> 	815.2837
1-Pro₂-Dap(Tamra)-NH₂ (ARC-2021)	<p> Monoisotopic Mass = 912.337729 Da Molecular Formula = C₄₇H₄₈N₁₀O₈S </p>  <p>ARC 2022 1 Pro 2 Dap(Tamra)-NH 2</p>	912.3369
1-Pro₃-Dap(Tamra)-NH₂ (ARC-2016)	<p> Molecular Formula = C₅₂H₅₅N₁₁O₉S Monoisotopic Mass = 1009.390492 Da </p>  <p>1-Pro 3 Dap(Tamra)-NH 2 ARC 2016</p>	1009.3886

1-Pro₅-Dap(Tamra)-NH₂ (ARC-2017)	<div style="display: flex; justify-content: space-between;"> <div>  </div> <div> <p>Molecular Formula = C₆₂H₆₉N₁₃O₁₁S</p> <p>Monoisotopic Mass = 1203.49602 Da</p> </div> </div> <p style="text-align: center;">1-Pro₅-Dap(Tamra)-NH₂ 2 ARC 2017</p>	1203.4968
1-Pro₉-Dap(Tamra)-NH₂ (ARC-2028)	<div style="display: flex; justify-content: space-between;"> <div>  </div> <div> <p>Formula Weight = 1592.81748</p> <p>Monoisotopic Mass = 1591.707075 Da</p> </div> </div> <p style="text-align: center;">1-Pro₉-Dap(Tamra)-NH₂ 2 ARC 2028</p>	1591.7086
1-COOH		[1]
2-COOH		[1]

3-COOH		[1]
4-COOH		[1]

SI references

- 1) E. Enkvist, A. Vaasa, M. Kasari, M. Kriisa, T. Ivan, K. Ligi, G. Raidaru, A. Uri, *ACS Chem. Biol.* **2011**, 6, 1052 –1062.